

**Amendments to the Claims:**

This listing of claims will replace all prior versions and listings of claims in this application.

**Listing of Claims:**

1. (Currently amended) An isolated nucleic acid ~~obtainable~~ obtained from the VRN2 locus of a plant, which nucleic acid encodes a polypeptide which ~~is capable of affecting~~ regulates one or more physical characteristics of a plant into which the nucleic acid is introduced, the physical characteristics being selected from vernalization response, flowering time, leaf size and/or shape or shade avoidance response.
2. (Currently amended) A nucleic acid according to claim 1 which ~~is capable of reducing~~ reduces the vernalization requirement of the plant for flowering.
3. (Currently amended) A nucleic acid according to claim 1 which comprises a VRN2 nucleotide sequence which encodes a polypeptide of SEQ ID No NO. 2.
4. (Currently amended) A nucleic acid according to claim 3 wherein the VRN2 nucleotide sequence consists of the sequence of SEQ ID No NO. 1 or is degeneratively equivalent thereto.
5. (Withdrawn) A nucleic acid according to claim 1 which comprises a VRN2 nucleotide sequence which encodes a polypeptide of SEQ ID No. 5.
6. (Withdrawn) A nucleic acid according to claim 5 wherein the VRN2 nucleotide sequence consists of the sequence of SEQ ID No:4 or is degeneratively equivalent thereto.

7. (Withdrawn) A nucleic acid according to claim 1 which comprises a VRN2 nucleotide sequence which encodes a polypeptide of SEQ ID No. 8.

8. (Withdrawn) A nucleic acid according to claim 7 wherein the VRN2 nucleotide sequence consists of the sequence of SEQ ID No:7 or is degeneratively equivalent thereto.

9. (Withdrawn) An isolated nucleic acid obtainable from the VRN2 locus of a plant which nucleic acid comprises a nucleotide sequence of SEQ ID No:3 or SEQ ID No:6, or a nucleic acid degenerative equivalent thereof.

10. (Withdrawn) A nucleic acid according to claim 9 which comprises a sequence having promoter and/or regulatory function.

11-59. (Canceled)

60. (Currently amended) An isolated nucleic acid which comprises a variant sequence ~~which is a homologous variant of a nucleotide sequence selected from the group consisting of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 4, SEQ ID NO: 6, and SEQ ID NO: 7~~ and which shares at least 50 90% sequence identity therewith with SEQ ID NO:1, wherein said variant being capable of affecting nucleic acid sequence regulates one or more physical characteristics of a plant into which the nucleic acid is introduced, the physical characteristics being selected from vernalization response, flowering time, leaf size and/or shape or shade avoidance response, said isolated nucleic acid optionally comprising a sequence having promoter and/or regulatory function.

61. (Currently amended) A nucleic acid according to claim 60 wherein the ~~variant nucleic acid~~ is an ~~allelic variant allele~~ of a ~~nucleotide sequence selected from the group consisting of~~ SEQ ID NO: 1, ~~SEQ ID NO: 3, SEQ ID NO: 4, SEQ ID NO: 6, and SEQ ID NO: 7~~ or is a nucleic acid degenerative equivalent thereof.

62. (Currently amended) A nucleic acid according to claim 60 wherein the variant sequence is a VRN2 sequence ~~obtainable~~ obtained from a plant species other than *Arabidopsis thaliana*.

63. (Currently amended) An isolated nucleic acid sequence according to claim 60, which is a derivative of said sequence by way of one or more of addition, insertion, deletion or substitution of a said nucleotide sequence, ~~and wherein said derivative shares at least 50% homology with a nucleotide sequence selected from the group consisting of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 4, SEQ ID NO: 6, and SEQ ID NO: 7~~ and wherein the derivative sequence ~~is~~ either capable of affecting regulates one or more physical characteristics of a plant into which the nucleic acid is introduced, the physical characteristics being selected from vernalization response, flowering time, leaf size and/or shape or shade avoidance response or has promoter and/or regulatory function.

64. (Currently amended) An isolated nucleic acid which comprises a fragment of a ~~sequence selected from the group consisting of~~ SEQ ID NO: 1, ~~SEQ ID NO: 3, SEQ ID NO: 4, SEQ ID NO: 6, and SEQ ID NO: 7~~ ~~which is a fragment of a sequence~~ and either ~~is capable of affecting~~ regulates one or more physical characteristics of a plant into which the nucleic acid is introduced, the physical characteristics being selected from vernalization response, flowering time, leaf

size and/or shape or shade avoidance response or has promoter and/or regulatory function.

65. (Previously presented) An isolated nucleic acid which comprises a sequence which is the complement of a sequence of claim 60.

66. (Withdrawn) An isolated nucleic acid for use as a probe or primer which comprises a sequence that encodes an amino acid sequence that is partly, substantially, or completely conserved between a VRN2 sequence of SEQ ID Nos. 2, 5, or 8, and at least one of the other sequences shown in Figure 8a (SEQ ID Nos. 2, 12, 10, 14, and 16) or 8b (SEQ ID Nos. 17-38), wherein said nucleic acid is 15 to 40 nucleotides in length.

67. (Withdrawn) An isolated nucleic acid for use as a probe or primer which comprises a sequence that is partly, substantially or completely conserved between two or more of the VRN2 nucleotide sequences selected from the group consisting of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 4, SEQ ID NO: 6, and SEQ ID NO: 7 or the complements thereof, wherein said nucleic acid is 15 to 40 nucleotides in length said nucleic acid optionally comprising a sequence having promoter and or regulatory function.

68. (Withdrawn) A nucleic acid according to claim 67 which is 19 to 28 nucleotides in length.

69. (Withdrawn) A pair of primers each comprising a nucleic acid according to claim 67.

70. (Withdrawn) A pair of primers according to claim 69 which is selected from:

VRN2-AP (SEQ ID NO:67) and VRN2-AJ (SEQ ID NO:63);  
VRN2-AO (SEQ ID NO:66) and VRN2-AS (SEQ ID NO:70); and  
VRN2-AI (SEQ ID NO:62) and VRN2-AJ (SEQ ID NO:63).

71. (Withdrawn) A process for producing a nucleic acid which is a derivative according to claim 63 which process comprises the step of modifying a nucleotide sequence selected from the group consisting of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 4, SEQ ID NO: 6, and SEQ ID NO: 7.

72. (Currently amended) A method for identifying ~~or cloning~~ a nucleic acid according to claim 60 in a database search, which method comprises using a nucleotide sequence of a probe or primer comprising a nucleic acid sequence that is partly, substantially or completely conserved at least 90% identical between SEQ ID NO:1 and two one or more of the VRN2 nucleotide sequences selected from the group consisting of ~~SEQ ID NO: 1,~~ SEQ ID NO: 3, SEQ ID NO: 4, SEQ ID NO: 6, and SEQ ID NO: 7 or the complements thereof, wherein said probe or primer is at least 15 to 40 nucleotides in length.

73. (Currently amended) A method for identifying or cloning a ~~nucleic acid selected from the group consisting of~~ SEQ ID NO: 1, ~~SEQ ID NO: 3, SEQ ID NO: 4, SEQ ID NO: 6, and SEQ ID NO: 7~~ which method employs a probe or primer, said probe or primer comprising a sequence that encodes an amino acid sequence that is ~~partly, substantially or completely conserved~~ at least 90% identical between a the VRN2 sequence of SEQ ID Nos. ~~2, 5 or 8~~ NO:2 and at least one of the other sequences shown in Figure 8a (SEQ ID Nos. NOS: 2, 12, 10, 14, and 16) or 8b (SEQ ID Nos. NOS: 17-38), wherein said nucleic acid is 15 to 40 nucleotides in length or a pair of primers selected from the group consisting of

VRN2-AP (SEQ ID NO:67) and VRN2-AJ (SEQ ID NO:63);  
VRN2-AO (SEQ ID NO:66) and VRN2-AS (SEQ ID NO:70); and  
VRN2-AI (SEQ ID NO:62) and VRN2-AJ (SEQ ID NO:63).

74. (Currently amended) A method for determining the presence of a nucleic acid according to claim 60 within the genetic make-up of a plant, which method employs a probe or primer, said probe or primer comprising a sequence that encodes an amino acid sequence that is ~~partly, substantially or completely conserved~~ at least 90% identical between ~~a~~ the VRN2 sequence of SEQ ID Nos. ~~2, 5 or 8~~ NO:2 and at least one of the other sequences shown in Figure 8a (SEQ ID Nos. NOS: 2, 12, 10, 14, and 16) or 8b (SEQ ID Nos. NOS: 17-38), wherein said nucleic acid is 15 to 40 nucleotides in length, or a pair of primers selected from the group consisting of  
VRN2-AP (SEQ ID NO:67) and VRN2-AJ (SEQ ID NO:63);  
VRN2-AO (SEQ ID NO:66) and VRN2-AS (SEQ ID NO:70); and  
VRN2-AI (SEQ ID NO:62) and VRN2-AJ (SEQ ID NO:63).

75. (Currently amended) A method according to claim 73, which comprises the steps of:

- (a) providing a preparation of nucleic acid from a plant cell;
- (b) providing a nucleic acid molecule which is a probe, said probe comprising a sequence that encodes an amino acid sequence that is ~~partly, substantially or completely conserved~~ at least 90% identical between ~~a~~ the VRN2 sequence of SEQ ID Nos. ~~2, 5 or 8~~ NO:2 and at least one of the other sequences shown in Figure 8a (SEQ ID Nos. NOS: 2, 12, 10, 14, and 16) or 8b (SEQ ID Nos. NOS: 17-38), wherein said probe is 15 to 40 nucleotides in length;
- (c) contacting nucleic acid in said preparation with said probe under highly stringent conditions for hybridisation; and

(d) ~~identifying a nucleic acid selected from the group consisting of positive hybridisation; isolating the hybridising nucleic acid sequence and identifying said sequence as SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 4, SEQ ID NO: 6, and SEQ ID NO: 7, if present by its hybridisation with said nucleic acid probe.~~

76. (Withdrawn) A method according to claim 73, which method comprises the steps of:

- (a) providing a preparation of nucleic acid from a plant cell;
- (b) providing a pair of nucleic acid molecule primers suitable for PCR, at least one of said primers being a primer which comprises a sequence that encodes an amino acid sequence that is partly, substantially or completely conserved between a VRN2 sequence of SEQ ID Nos. 2, 5 or 8 and at least one of the other sequences shown in Figure 8a (SEQ ID Nos. 2, 12, 10, 14, and 16) or 8b (SEQ ID Nos. 17-38), wherein said nucleic acid is 15 to 40 nucleotides in length;
- (c) contacting nucleic acid in said preparation with said primers under conditions for performance of PCR;
- (d) performing PCR and determining the presence or absence of an amplified PCR product.

77. (Withdrawn) A method according to claim 76 wherein the pair of nucleic acid molecule primers are

VRN2-AP (SEQ ID NO:67) and VRN2-AJ (SEQ ID NO:63);  
VRN2-AO (SEQ ID NO:66) and VRN2-AS (SEQ ID NO:70); and  
VRN2-AI (SEQ ID NO:62) and VRN2-AJ (SEQ ID NO:63).

78. (Currently amended) A method of selecting a plant having a desired allele of the VRN2 gene, which method employs a probe or primer, said probe or primer comprising a sequence

that encodes an amino acid sequence that is ~~partly~~  
~~substantially or completely conserved at least 90% identical~~  
between a the VRN2 sequence of SEQ ID Nos. ~~2, 5 or 8~~ NO:2 and  
at least one of the other sequences shown in Figure 8a (SEQ ID  
Nos. NOS: 2, 12, 10, 14, and 16) or 8b (SEQ ID Nos. NOS: 17-  
38), wherein said nucleic acid is 15 to 40 nucleotides in  
length, or a pair of primers selected from the group  
consisting of

VRN2-AP (SEQ ID NO:67) and VRN2-AJ (SEQ ID NO:63);  
VRN2-AO (SEQ ID NO:66) and VRN2-AS (SEQ ID NO:70); and  
VRN2-AI (SEQ ID NO:62) and VRN2-AJ (SEQ ID NO:63).

79. (Withdrawn) A recombinant vector which comprises a  
nucleotide sequence selected from the group consisting of SEQ  
ID NO: 1, SEQ ID: NO: 3, SEQ ID NO: 4, SEQ ID NO: 6, and SEQ  
ID NO: 7 or a sequence degeneratively equivalent thereto.

80. (Withdrawn) A vector according to claim 79 wherein the  
nucleic acid comprised in the vector is capable of regulating  
one or more genes involved in the transition from vegetative  
to reproductive growth and/or capable of regulating one or  
more genes involved in the determination of leaf size and/or  
shape.

81. (Withdrawn) A vector according to claim 80 wherein the  
nucleic acid is operably linked to a promoter for  
transcription in a host cell, wherein the promoter is  
optionally an inducible promoter.

82. (Withdrawn) A vector according to claim 81 wherein the  
promoter is a constitutive promoter.

83. (Withdrawn) A vector according to any one of claims 79

which is a plant vector.

84. (Withdrawn) A method which comprises the step of introducing a vector according to claim 79 into a host cell such as to transform the host cell.

85. (Withdrawn) A host cell which is transformed with a heterologous nucleic acid selected from the group consisting of SEQ ID NO: 1, SEQ ID: NO: 3, SEQ ID NO: 4, SEQ ID NO: 6, and SEQ ID NO: 7 and sequences degeneratively equivalent thereto.

86. (Withdrawn) A host cell according to claim 85 which is a plant cell, optionally present in a plant.

87. (Withdrawn) A method for producing a transgenic plant, which method comprises the steps of:

- (a) performing a method according to claim 84; and
- (b) regenerating a plant from the transformed host cell.

88. (Withdrawn) A transgenic plant which is obtainable by the method of claim 87, or which is a clone, or selfed or hybrid progeny or other descendant of said transgenic plant, which in each case includes the plant cell transformed with a heterologous nucleic acid selected from the group consisting of SEQ ID NO: 1, SEQ ID: NO: 3, SEQ ID NO: 4, SEQ ID NO: 6, and SEQ ID NO: 7 and sequences degeneratively equivalent thereto.

89. (Withdrawn) A plant according to claim 88 which is an agricultural or horticultural plant.

90. (Withdrawn) A plant according to claim 89 selected from

the list consisting of: rice, maize, wheat, barley, oats, rye, oil seed rape, sugar beet, sunflower, soybean, sorghum, lettuce, endive, cabbage, broccoli, cauliflower, carnation, geranium, tobacco, cotton, canola, tomato, mango, peach, apple, pear, strawberry, banana, melon, carrot, onion, pea, celery.

91. (Withdrawn) A plant according to claim 90 which is selected from tobacco, oil seed rape, rice and wheat.

92. (Withdrawn) A part or propagule from a plant which is a clone, or selfed or hybrid progeny or other descendant of said transgenic plant, which in each case includes the plant cell transformed with a heterologous nucleic acid selected from the group consisting of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 4, SEQ ID NO: 6, and SEQ ID NO: 7 and sequences degeneratively equivalent thereto.

93. (Withdrawn) An isolated polypeptide which is encoded by a nucleotide sequence according to claim 1.

94. (Withdrawn) A polypeptide according to claim 93 which comprises an amino acid sequence which consists of the sequence of SEQ ID Nos. 2, 5 or 8.

95. (Withdrawn) A polypeptide which is a fragment of a polypeptide of claim 94, having at least nine contiguous amino acids.

96. (Withdrawn) An isolated polypeptide which consists of the sequence of SEQ ID Nos. 2, 5 or 8.

97. (Withdrawn) An isolated polypeptide which is a fragment

of a polypeptide according to claim 96 and which comprises at least 9 contiguous amino acids of that polypeptide.

98. (Withdrawn) A fragment according to claim 97 which comprises amino acids 90 to 111 (zinc finger motif), amino acids 63 to 132 (amino terminal region), amino acids 263 to 366 (carboxy terminus) or amino acids 263 to 328 (activation domain).

99. (Withdrawn) A polypeptide according to claim 93 which is capable of affecting one or more physical characteristics of a plant expressing said peptide, the physical characteristics being selected from vernalization response, flowering time, leaf size and/or shape or shade avoidance response.

100. (Withdrawn) An isolated nucleic acid which encodes a fragment according to claim 97.

101. (Withdrawn) An isolated nucleic acid which is the complement of the nucleic acid of claim 100.

102. (Withdrawn) A method of making the polypeptide of a sequence selected from the group consisting of SEQ ID NO: 2, 5, or 8, which method comprises the step of causing or allowing expression from a nucleic acid encoding SEQ ID NOS 2, 5, or 8.

103. (Withdrawn) An antibody which has specific binding affinity for a polypeptide according to claim 93.

104. (Withdrawn) A polypeptide which comprises the antigen-binding site of the antibody of claim 103.

105. (Withdrawn) A method for affecting a physical characteristic of a plant selected from vernalization response, flowering time, leaf size and/or shape or shade avoidance response, which method comprises either the step of: (i) causing or allowing transcription from a nucleic acid which comprises a sequence selected from the group consisting of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 4, SEQ ID NO: 6, and SEQ ID NO: 7 or a fragment of said sequence which is capable of affecting one or more physical characteristics of a plant into which the nucleic acid is introduced, the physical characteristics being selected from vernalization response, flowering time, leaf size and/or shape or shade avoidance response or has promoter and/or regulatory function.

106. (Withdrawn) A method according to claim 105 which method comprises causing or allowing transcription from said nucleic acid thereby reducing VRN2 expression by co-suppression.

107. (New) An isolated nucleic acid that specifically hybridises under highly stringent conditions to the complement of the sequence set forth in SEQ ID NO: 1, wherein said nucleic acid encodes a polypeptide which regulates one or more physical characteristics of a plant into which the nucleic acid is introduced, the physical characteristics being selected from vernalization response, flowering time, leaf size and/or shape or shade avoidance response.